Subject Index

Abrasive Blast Media
Removal of Chromium from Abrasive Blast Media by Leaching and Electrochemical Precipitation, 536

Accuracy Assessments
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Performance Characteristics of PM_{10} Samplers Under Calm Air Conditions, 578
Performance Testing of a Multimetals Continous Emissions Monitor, 1010
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Acid Deposition
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Acidity
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Acid Precipitation
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818

Activated Carbon
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Adhesive
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Aerosol
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Particulates Generated from Combustion of Polymers (Plastics), 94
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Chemical Composition of Fine Particles in the Tennessee Valley, 1299
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
Oxalic Acid in $PM_{2.5}$ in California, 1874
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Aerosol Nitrate
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Subject Index

Abrasive Blast Media
Removal of Chromium from Abrasive Blast Media by Leaching and Electrochemical Precipitation, 536

Accuracy Assessments
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Performance Characteristics of PM_{10} Samplers Under Calm Air Conditions, 578
Performance Testing of a Multimetals Continous Emissions Monitor, 1010
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Acid Deposition
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Acidity
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Acid Precipitation
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818

Activated Carbon
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Adhesive
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Aerosol
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Particulates Generated from Combustion of Polymers (Plastics), 94
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Chemical Composition of Fine Particles in the Tennessee Valley, 1299
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
Oxalic Acid in $PM_{2.5}$ in California, 1874
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Aerosol Nitrate
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Agriculture
Climate Change and the Adaptability of Agriculture: A Review, 563
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Agricultural Burning
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Air & Waste Management Association
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075

Air Conditioning
Interaction of Temperature, Humidity, Driver Preference, and Refrigerant Type on Air Conditioning Compressor Usage, 1759

Air Monitoring
Tomographic Reconstruction of Traces Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Air Pollution
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
Particulates Generated from Combustion of Polymers (Plastics), 94
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Meteorological Factors of Ozone Predictabilty at Houston, Texas, 252
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Modeling Relationships between Indoor and Outdoor Air Quality, 292
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418
PM_{10} Levels in the Lower Fraser Valley, British Columbia, Canada: An Overview of Spatiotemporal Variations and Meteorological Controls, 443
Neural Network Model for Predicting Peak Photochemical Pollutant Levels, 495
Biotrickling Filtration of Nitric Oxide, 502
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
A Model for Pulse Jet Fabric Filters, 600
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Daily Mortality and Air Pollution in the Netherlands, 1380
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857
Oxalic Acid in $PM_{2.5}$ in California, 1874
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Air Pollution Standards
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067

Air Quality
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980-1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Air Quality Standards
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
A New Screening Measure to Identify Potential Carbon Monoxide Hotspots, 252
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067

Air Quality Studies
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701

Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067

Air Toxics
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Characterization of Emissions from Diffusion Flare Systems, 1723
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Alternative/Innovative Technologies
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Ambient Air
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Paticulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Oxalic Acid in $PM_{2.5}$ in California, 1874
The Formation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093
Use of Two Different Acidic Aerosols Samplers to Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Ambient Air Quality Standards
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
Comparison of Ambient PM Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Ambient Concentrations
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
PM_{10} Levels in the Lower Fraser Valley, British Columbia, Canada: An Overview of Spatiotemporal Variations and Meteorological Controls, 443
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
A Fabric Denuder for Sampling Semi-Volatile Species, 981
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887
Oxalic Acid in $PM_{2.5}$ in California, 1874
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Ammonia
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Ammonia Limitation
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Anaerobic Digestion
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037

Analytical Methods
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
A Fabric Denuder for Sampling Semi-Volatile Species, 981
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
Measurement of Odor Intensity by an Electronic Nose, 1750
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Area Sources
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Evaluation of Watering to Control Dust in High Winds, 570

Artificial Neural Networks
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Ash, Fly
Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169
Preparation of Calcium Silicate Absorbent from Iron Blast Furnace Slag, 1655
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Asphalt Binder
Stabilization/Solidification of Salt from a Waste Incinerator, 453

Asphalt Coating
Stabilization/Solidification of Salt from a Waste Incinerator, 453

Atmospheric Chemistry
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
In-Stack Condensible Particulate Matter Measurements and Issues, 207
Climate Change and the Adaptability of Agriculture: A Review, 563
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023

Atmospheric Transport
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Automotive Exhaust
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Baghouse
A Model for Pulse Jet Fabric Filters, 600
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Batch Biofilters
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Benefit
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Biocontaminants
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Biofiltration
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Bioremediation
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Bioscrubber
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Biotrickling Filters
Biotrickling Filtration of Nitric Oxide, 502

BTEX
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Building Downwash
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

Calculation Methods
Sampling Duration Calculations, 888
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Limitations of Long-Path Averaging Instruments, 1790

Catalytic Conversion
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436

Carbon Dioxide
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Carbon Fibers
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Carbon Monoxide
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
A New Screening Measure to Identify Potential Carbon Monoxide Hotspots, 252
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Daily Mortality and Air Pollution in the Netherlands, 1380
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Carcinogens
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Catalytic Conversion
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Ceramic Fiber
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Chamber Test
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Chemistry
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Characterization
Limitations of Long-Path Averaging Instruments, 1790
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Characterization of Products from Fluidized Bed Combustion of Coal, 1920
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Chlorofluorocarbons
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137

Chromium
Removal of Chromium from Abrasive Blast Media by Leaching and Electrochemical Precipitation, 536

Cigarette Smoke
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514

Clean Air Act Amendments
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Examining Impacts of Visibility and PM Strategies before Implementation, 875

Cleanup Standards
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637

Climate Change
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
Climate Change and the Adaptability of Agriculture: A Review, 563
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

CO
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Coal Burning Facilities
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Combustion
Particulates Generated from Combustion of Polymers (Plastics), 94
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Characterization of Emissions from Diffusion Flare Systems, 1723
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Compliance
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714

Compressed Gas
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Computed Tomography
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Computer Simulation
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426

Condensibles
In-Stack Condensible Particulate Matter Measurement and Issues, 207

Contamination, Surface
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637

Contaminated Soil
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Reduction in Residential Chromium Following Site Remediation, 948
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Continuous Emission Monitoring
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Measurement of Odor Intensity by an Electronic Nose, 1750
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Control Strategies
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Examining Impacts of Visibility and PM Strategies before Implementation, 875
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Control Technologies
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
Preparation of Calcium Silicate Absorbent from Iron Blast Furnace Slag, 1655
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Cost
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Cost-Benefit Analysis
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Daily Mortality
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501

Databases
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433

Data Collection
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Sampling Duration Calculations, 888
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Meassurements, 1887

Data Quality
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Decision Making
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissons from Gasoline Used in the Metropolitan Area of Mexico City, 488
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Degradation
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Denuders
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Destruction and Removal Efficiencies
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Characterization of Emissions from Diffusion Flare Systems, 1723

Diesel Exhaust
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Dioxin Formation
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Discharge
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Dispersion Models
Meteorological Factors of Ozone Predictability at Houston, Texas, 259
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Diurnal Variation
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017

Downwash
Maximum Ground-Level Concentrations with Downwash—Analysis, 348

Dust, Fugitive
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Evaluation of Watering to Control Dust in High Winds, 570
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440

Economics
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Electric Utilities
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Electrochemical Precipitation
Removal of Chromium from Abrasive Blast Media by Leeching and Electrochemical Precipitation, 536

Emission Standards
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162

Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459

Emissions

Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Emission Characterization

Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
In-Stack Condensible Particulate Matter Measurements and Issues, 207
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Characterization of Emissions from Diffusion Flare Systems, 1723
Measurement of Odor Intensity by an Electronic Nose, 1750
Limitations of Long-Path Averaging Instruments, 1790
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Emission Controls

Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Emission Carbon Monoxide

On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Emission Hydrocarbon

Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Characterization of Emissions from Diffusion Flare Systems, 1723
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Emission Inventory

Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278

Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Emission Processing
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972

Emission Rates
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199
In-Stack Condensible Particulate Matter Measurements and Issues, 207
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Emission Reduction
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831

Emission, Automotive
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
Comparison and Evaluation of Chemically Speciated Mobile Source $PM_{2.5}$ Particulate Matter Profiles, 1459
Interaction of Temperature, Humidity, Driver Preference, and Refrigerant Type on Air Conditioning Compressor Usage, 1759
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Emission, Diesel
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Emission, Fugitive
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Limitations of Long-Path Averaging Instruments, 1790
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Emission, Landfill Gas
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Emission, Natural
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Environmental Data Analysis
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637

Environmental Management
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Reduction in Residential Chromium Following Site Remediation, 948
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Enforcement
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Epidemiology
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Daily Mortality and Air Pollution in the Netherlands, 1380
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Comparison of Ambient PM Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Exposure Assessment
Modeling Relationships between Indoor and Outdoor Air Quality, 292

Exposure Parameters
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Reduction in Residential Chromium Following Site Remediation, 948
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Fabric Filter
A Model for Pulse Jet Fabric Filters, 600

Filtration
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Flares
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Characterization of Emissions from Diffusion Flare Systems, 1723

Flue Gases
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Fluidized Bed Combustion By-Products
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Flux Chamber Measurements
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Forecast
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Fourier Transfrom Infrared
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Fuels
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929

Fuel, Alternative
Particulates Generated from Combustion of Polymers (Plastics), 94
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371

Fuel, Biomass
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Fuel, Fossil
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Fugitive Emissions
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Gas Chromatography
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Gas Chromatography-Mass Spectrometry
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Gas, Natural
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Gases, Greenhouse
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Gasoline
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissons from Gasoline Used in the Metropolitan Area of Mexico City, 488
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Gas-to-Particle Conversion
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85

Genetic Algorithms
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Geography
Climate Change and the Adaptability of Agriculture: A Review, 563
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350

GIS Power Substations
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137

Global Warming/Greenhouse Effect
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Climate Change and the Adaptability of Agriculture: A Review, 563
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Ground-Level Ozone
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Groundwater
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Growth Laws
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85

Hazardous Air Pollutants
Particulates Generated from Combustion of Polymers (Plastics), 94
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Hazardous Waste
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667

Hazardous Waste Cleanup
Reduction in Residential Chromium Following Site Remediation, 948

Hazardous Waste Sites
Reduction in Residential Chromium Following Site Remediation, 948

Haze
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826

Health Effects/Risks
A New Dose Model for Assessment of Health Risk Due to Contaminants In Air, 3
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818

Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Daily Mortality and Air Pollution in the Netherlands, 1380
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Heavy Metals
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680

Human Exposure
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Reduction in Residential Chromium Following Site Remediation, 948
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Hydrocarbons
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Characterization of Emissions from Diffusion Flare Systems, 1723
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Hydrogen Peroxide
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Illicit Discharges
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

I/M Programs
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509

Impact Assessment
Climate Change and the Adaptability of Agriculture: A Review, 563

Incineration
Particulates Generated from Combustion of Polymers (Plastics), 94
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Individual Exposures
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Estimating Separately Personal Exposure to Ambient and Nonambient Paticulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Meassurements, 1887

Indoor Air Pollution
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199
Modeling Relationships between Indoor and Outdoor Air Quality, 292
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Industrial Pollution
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2082

Infant Mortality
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350

Innovative Technologies
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

International Aspects
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

IPCC
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234

ISC-3
Maximum Ground-Level Concentrations with Downwash—Analysis, 348

Kinetics
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Landfills
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Seasonal Variability in CH_3 Emissions from a Landfill in a Cool, Semiarid Climate, 1632

Leaching
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680

Leaching Parameters
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Removal of Chromium from Abrasive Blast Media by Leeching and Electrochemical Precipitation, 536

Lifecycle
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Lipopolysaccharide
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Lung Disease
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262

Lung Deposition
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426

Lung Exposition
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262

Measurement Techniques
Determination of PM_{10} Emission Rates from Street Sweepers, 181
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714
Limitations of Long-Path Averaging Instruments, 1790
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Medical Waste
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Mercury
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Meteorological Conditions
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
Meteorological Factors of Ozone Predictability at Houston, Texas, 259
PM_{10} Levels in the Lower Fraser Valley, British Columbia, Canada: An Overview of Spatiotemporal Variations and Meteorological Controls, 443
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Methane
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632

Methanol
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371

Metropolitan Areas
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

MGLC
Maximum Ground-Level Concentrations with Downwash—Analysis, 348

Microenvironmental
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980

Microscale Modeling
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805

Microwaves
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529

Mobile Sources
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
A New Screening Measure to Identify Potential Carbon Monoxide Hotspots, 252

Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Modeling

A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Meteorological Factors of Ozone Predictability at Houston, Texas, 259
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Climate Change and the Adaptability of Agriculture: A Review, 563
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
A Model for Pulse Jet Fabric Filters, 600
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Modeling, Spatial

Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

Monitoring

Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Evaluation of Watering to Control Dust in High Winds, 570
Sampling Duration Calculations, 888
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Prediction of Dioxin/Furan Incinerator Emisssions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Motor Vehicles
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980

NAAQS
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Neural Network
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322
Neural Network Model for Predicting Peak Photochemical Pollutant Levels, 495

Neutralization Capacity
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Nickel
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Nitric Acid
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Nitrogen Dioxides
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Daily Mortality and Air Pollution in the Netherlands, 1380
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739

Nitrogen Oxides
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Biotrickling Filtration of Nitric Oxide, 502
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067

Nonattainment
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Non-Methane Hydrocarbons
Speciated Hydrocarbon Emissions from Small Utility Engines, 522

Odors
Measurement of Odor Intensity by an Electronic Nose, 1750

Off-Road Sources
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929

Oil-Burning Furnaces
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Opacity
An Alternative to Additional SO_2 Injection for Fly Ash Conditioning, 169
Limitations of Long-Path Averaging Instruments, 1790

Open Path
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Optimization
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Optimum Water Content
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Ozone
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Daily Mortality and Air Pollution in the Netherlands, 1380
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Ozone Formation
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843

Ozone, Boundary Layer
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54
Meteorological Factors of Ozone Predictability at Houston, Texas, 259
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Ozone, Tropospheric
Modeling and Direct Sensitivity Analysis of Biogenic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Particulate Matter
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
Estimating Separately Personal Exposure to Ambient and Nonambient Paticulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Can Varying Concepts of Susceptibility in Risk Assessment Affect Particulate Matter Standards?, 1417
The Formulation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Passive Samplers
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184

Personal Exposure
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167

Petroleum Refinery Emissions
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Photochemical Pollutants
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340

The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
A Fabric Denuder for Sampling Semi-Volatile Species, 981
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

Plant Response
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Plumes
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

$PM_{2.5}$
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

PM_{10}
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Determination of PM_{10} Emission Rates from Street Sweepers, 181
In-Stack Condensible Particulate Matter Measurement and Issues, 207
PM_{10} Levels in the Lower Fraser Valley, British Columbia, Canada: An Overview of Spatiotemporal Variations and Meteorological Controls, 443
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Evaluation of Watering to Control Dust in High Winds, 570
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Estimating Separately Personal Exposure to Ambient and Nonambient Paticulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367
Daily Mortality and Air Pollution in the Netherlands, 1380
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433

Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Policy Decision Making
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Polar Organic Compounds
Oxalic Acid in $PM_{2.5}$ in California, 1874

Pollutant Concentration
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2126

Pollution Control
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Pollution Prevention
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529

Polychlorinated Dibenzo Furans
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Polychlorinated Dibenzo-*p*-dioxins
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Polycyclic Aromatic Hydrocarbons
Characterization of Products from Fluidized Bed Combustion of Coal, 1920
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Positive Matrix Factorization
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308

Power Plants
In-Stack Condensible Particulate Matter Measurements and Issues, 207
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Public Health
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Comparison of Ambient PM Risk with Risks Estimated From PM Components of Smoking and Occupational Exposures, 1514
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2082

Public Policy
Can Varying Concepts of Susceptibility in Risk Assessment Affect Particulate Matter Standards?, 1417

Pulsed Corona
A Method of Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Pyrolysis
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Rate Constant
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Reaction Pathway
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Real-Time
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805

Receptor Modeling
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308

Regression
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

Relative Abundance Ratio
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2082
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Remediation
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Reduction in Residential Chromium Following Site Remediation, 948
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Remote Sensing
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278
Limitations of Long-Path Averaging Instruments, 1790

Removal
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Repair
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509

Research and Development
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613

Residences
Reduction in Residential Chromium Following Site Remediaiton, 948
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Respiratory Health
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Risk Assessment
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Can Varying Concepts of Susceptibility in Risk Assessment Affect Particulate Matter Standards?, 1417

Roadways
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Rural Sites
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665

Salt Granules
Stabilization/Solidification of Salt from a Waste Incinerator, 453

Sampler Intercomparison
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Samplers, Mobile
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Samplers, Passive
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Sampling Duration Calculations, 888
Use of a Continuous Nephelometer To Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Sampling
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484
Evaluation of Watering to Control Dust in High Winds, 570
Performance Characteristics of PM_{10} Samplers under Calm Air Conditions, 578
Sampling Duration Calculations, 888
A Fabric Denuder for Sampling Semi-Volatile Species, 981
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
Limitations of Long-Path Averaging Instruments, 1790
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Scrubbers
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663

Seasonal Effects
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Sensitivity Analysis
Modeling and Direct Sensitivity Analysis of Biogenic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Simulation
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Size-Resolved
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Sludge
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Soderberg Aluminum Smelter
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085

Soil
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680

Soil-Gas
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632

Solid Waste
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Soot
Particulates Generated from Combustion of Polymers (Plastics), 94
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Daily Mortality and Air Pollution in the Netherlands, 1380

Source Profiles
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308
Comparison and Evaluation of Chemically Speciated Mobile Source $PM_{2.5}$ Particulate Matter Profiles, 1459
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

South Coast Air Basin
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Spatial Distribution
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972

Spatial Variations
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034

Speciation
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Stabilization/Solidification
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Stack Height
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

State Implementation Plan
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780

Stationary Sources
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Street Canyon
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Street Sweeper
Determination of PM_{10} Emission Rates from Street Sweepers, 181

Sulfate
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532

Sulfate Formation
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85

Sulfur Dioxide
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980-1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Examining Impacts of Visibility and PM Strategies before Implementation, 875
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Daily Mortality and Air Pollution in the Netherlands, 1380
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481
Preparation of Calcium Silicate Absorbent from Iron Blast Furnace Slag, 1655
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831

Sulfur Hexafluoride
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137

Technology Development
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Temporal Variations
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Testing
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Thermal Treatments
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Time Series
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219

Toxic Air Pollutants
A New Dose Model for Assessment of Health Risk Due to Contaminants In Air, 3
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Characterization of Emissions from Diffusion Flare Systems, 1723
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Toxic Gases
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Toxic Metals
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010
Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Toxic Release Inventory
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Toxic Waste
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623

Toxicity Screening
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Tracers
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Tracer Techniques
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714

Traffic
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Transportation
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459

Treatment Technologies
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Trends Analysis
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802

Trickle-Bed Biofiltration
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Unburned Carbon
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Utilities
In-Stack Condensible Particulate Matter Measurement and Issues, 207
Speciated Hydrocarbon Emissions from Small Utility Engines, 522
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Urban Areas
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252
Meteorological Factors of Ozone Predictability at Houston, Texas, 259
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

U.S. Environmental Protection Agency
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980

Vapors
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Variance
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Visibility
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980-1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802

Volatile Organic Compounds
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529
Examining Impacts of Visibility and PM Strategies before Implementation, 875
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700
Characterization of Emissions from Diffusion Flare Systems, 1723

Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Volatile Sulfur Compounds
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Waste Disposal
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Waste Management
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Waste Reduction
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623

Waste Tires
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Waste Treatment
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Wind Conditions
Maximum Ground-Level Concentrations with Downwash—Analysis, 348

Wind Effects
Maximum Ground-Level Concentrations with Downwash—Analysis, 348
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440
Limitations of Long-Path Averaging Instruments, 1790

Wood Burning
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

X-Ray Absorption Spectroscopy
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Author Index

Abdulla, F.A.
Methane Emissions from Domestic Waste management Facilities in Jordan-Applicability of IPCC Methodology, 234

Adgate, J.L.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Al-Ayed, M.S.
Long-Term Monitoring and Analysis of Hourly Solar UV Radiation in the 290–380 nm Range in the Middle Region of Saudi Arabia, 1045

Al-Dhafiri, A.M.
Long-Term Monitoring and Analysis of Hourly Solar UV Radiation in the 290–380 nm Range in the Middle Region of Saudi Arabia, 1045

Al-Ghazzawi, Z.D.
Methane Emissions from Domestic Waste Management Facilities in Jordan—Applicability of IPCC Methodology, 234

Alleman, T.L.
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Allen, G.
Method Comparisons for Particulate Nitrate, Elemental Carbon, and $PM_{2.5}$ Mass in Seven U.S. Cities, 1095

Allen, G.A.
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484

Altenstedt, J.
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023

Altshuler, S.
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Alvarez-Cansino, G.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188

Alvim Ferraz, M.C.M.
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Ambs, J.L.
Development of a Sample Equilibration System for the TEOM Continuous PM Monitor, 1345

Ames, M.R.
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881

Ames, R.B.
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Estimates of Particle Hygroscopicity during the Southeastern Aerosol and Visibility Study, 677

Ando, A.
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509

Andrews, E.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648

Aneja, V.P.
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54

Araki, S.
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Arbex, M.A.
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Arriaga, J.L.
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Arya, S.P.
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54

Ashbaugh, L.
Evaluation of Wind Fields Used in Grand Canyon Visibility Tranport Commission Analyses, 809

Aubin, S.
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Aust, A.E.
The Formation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897

Avalos, S.
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488

Ayers, G.P.
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Babich, P.
Method Comparisons for Particulate Nitrate, Elemental Carbon, and $PM_{2.5}$ Mass in Seven U.S. Cities, 1095

Bahadori, T.
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Bai, H.
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125

Bailey, B.K.
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278

Bainbridge, D.
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037

Bajpai, R.
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Balbus, J.M.
Can Varying Concepts of Susceptibility in Risk Assessment Affect Particulate Matter Standards?, 1417

Ball, J.C.
The Formation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897

Barcelos Cardoso, J.I.
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Barlaz, M.A.
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993

Barrera, A.
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Barth, M.
Interaction of Temperature, Humidity, Driver Preference, and Refrigerant Type on Air Conditioning Compressor Usage, 1759

Baugh, J.W., Jr.
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Bayless, D.J.
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169

Beal, J.
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881

Bednarik, V.
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Berkowicz, R.
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Bin Mahfoodh, M.
Long-Term Monitoring and Analysis of Hourly Solar UV Radiation in the 290–380 nm Range in the Middle Region of Saudi Arabia, 1045

Birru, R.
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169

Biswas, P.
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Blackwood, T.R.
An Evaluation of Flare Combustion Efficiency Using Open-Path Fourier Transform Infrared Technology, 1714

Blanchard, C.L.
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Bloemen, H.J.Th.
Modeling Relationships between Indoor and Outdoor Air Quality, 292

Bock, D.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Bofinger, N.D.
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739

Bohm, G.M.
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Borhan, Y.
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75

Bowen, J.L.
Air Quality Measurements from the Fresno Supersite, 1321

Bowman, W.A.
Maximum Ground-Level Concentrations with Downwash—Analysis, 348

Braga, A.L.F.
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Brandmeyer, J.E.
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972

Brauer, M.
Exposure of Chronic Obstructive Pulmonary Disease Patients to Particulate Matter: Relationships between Personal and Ambient Air Concentrations, 1081

Braun-Fahrlander, C.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Brill, E.D., Jr.
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Brodnax, L.F.
Preparation of Calcium Silicate Adsorbent from Iron Blast Furnace Slag, 1655

Brown, J.E.
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Brunekreef, B.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133
Daily Mortality and Air Pollution in the Netherlands, 1380

Bumiller, K.
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Evaluation of Watering to Control Dust in High Winds, 570

Burke, J.M.
Use of a Continuous Nephelometer To Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Cadle, S.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Cadle, S.H.
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278

Camenzind, M.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Cannon, A.J.
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322

Cardelino, C.
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Carrothers, T.J.
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65

Cass, G.R.
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Catalano, P.J.
Hourly Personal Exposures to Fine Particles and Gaseous Pollutants—Results from Baltimore, Maryland, 1223

Cha, C.Y.
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529

Chang, G.-M.
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Chang, L.-T.
Hourly Personal Exposures to Fine Particles and Gaseous Pollutants—Results from Baltimore, Maryland, 1223

Chang, M.E.
Application of the Urban Airshed Model to Forecasting Next-Day Peak Ozone Concentrations in Atlanta, Georgia, 2010

Chase, R.E.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Chen, C.
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481

Chen, C.-C.
Performance Characteristics of PM_{10} Samplers Under Calm Air Conditions, 578

Cheng, W.-H.
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Cheung, C.S.
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543

Chiang, H.-L.
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Chiotti, Q.
Climate Change and the Adaptability of Agriculture: A Review, 563

Chiou, S.-F.
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Chiu, M.-S.
A Model for Pulse Jet Fabric Filters, 600

Chock, D.P.
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481

Chou, M.-S.
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227
Biotrickling Filtration of Nitric Oxide, 502
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Choucri, A.
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Chow, J.C.
Air Quality Measurements from the Fresno Supersite, 1321
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Christoforou, C.S.
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Chu, W.
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Chuersuwan, N.
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780

Cifuentes, L.A.
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287

Claiborn, C.S.
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440

Clayton, M.J.
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Cobourn, W.G.
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Cohen, D.D.
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Collins, A.R.
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037

Collins, D.
Limitations of Long-Path Averaging Instruments, 1790

Colls, J.J.
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805

Comrie, A.C.
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

Conceicao, G.M.S.
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Corio, L.A.
In-Stack Condensible Particulate Matter Measurements and Issues, 207

Corvalan, R.M.
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Coss, P.M.
Microwave Regeneration of Activated Carbon Used for Removal of Solvents from Vented Air, 529

Cowan, R.M.
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Cox, B.G.
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Creason, J.P.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Crocker, C.R.
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936

Davey, M.
Method Comparisons for Particulate Nitrate, Elemental Carbon, and $PM_{2.5}$ Mass in Seven U.S. Cities, 1095

Davis, S.J.
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111

Day, D.E.
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Estimates of Particle Hygroscopicity during the Southeastern Aerosol and Visibility Study, 677
Light Scattering Characteristics of Aerosols as a Function of Relative Humidity: Part I—A Comparison of Measured Scattering and Aerosol Concentrations Using the Theoretical Models, 686
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710

de Hartog, J.J.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133

Deaton, M.L.
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162

Dervos, C.T.
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137

Deshusses, M.A.
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Diab, R.D.
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831

Diaz, L.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Dick, C.J.
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632

Diem, J.E.
Integrating Remote Sensing and Local Vegetation Information for a High Resolution Biogenic Emissions Inventory: Application to an Urbanized, Semiarid Region, 1968

Dockery, D.W.
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215

Dolcine, L.
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Dominguez, J.
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85

Dong, Y.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Draxler, R.A.
Meteorological Factors of Ozone Predictability at Houston, Texas, 259

Dumas, R.D.
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993

Duszkiewicz, G.J.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Eatough, D.J.
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103
Comments on "Relating Summer Ambient Particulate Sulfur, Sulfur Dioxide, and Light Scattering to Gaseous Tracer Emissions from the MOHAVE Power Project", 756
Second-Generation Chemical Mass Balance Source Apportionment of Sulfur Oxides and Sulfate at the Grand Canyon during the Project MOHAVE Summer Intensive, 759

Ebelt, S.T.
Exposure of Chronic Obstructive Pulmonary Disease Patients to Particulate Matter: Relationships between Personal and Ambient Air Concentrations, 1081

Ebi, K.L.
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175

Edgerton, E.
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Emery, C.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Ergas, S.J.
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Evans, G.F.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Evans, J.S.
Assessing the Impact of Differential Measurement Error on Estimates of Fine Particle Mortality, 65
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Farant, J.-P.
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085
Benzo[b]fluoranthene, a Potential Alternative to Benzo[a]pyrene as an Indicator of Exposure to Airborne PAHs in the Vicinity of a Soderberg Aluminum Smelter, 2093

Farber, R.C.
Relating Summer Ambient Particulate Sulfur, Sulfur Dioxide, and Light Scattering to Gaseous Tracer Emissions from the MOHAVE Power Project, 746
Comments on "Relating Summer Ambient Particulate Sulfur, Sulfur Dioxide, and Light Scattering to Gaseous Tracer Emissions from the MOHAVE Power Project", 756

Farber, R.J.
Exploring Spatial Patterns of Particulate Sulfur and OMH from the Project MOHAVE Summer Intensive Regional Network Using Analysis of Variance Techniques and Meteorological Parameters as Sort Determinants, 724
Characterization of Regional Transport and Dispersion Using Project MOHAVE Tracer Data, 733
Second-Generation Chemical Mass Balance Source Apportionment of Sulfur Oxides and Sulfate at the Grand Canyon during the Project MOHAVE Summer Intensive, 759
Evaluation of Wind Fields Used in Grand Canyon Visibility Tranport Commission Analyses, 809
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818

Featherstone, A.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Feigley, C.E.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Feldman, E.E.
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Ferreira, M.I.
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Fessler, J.A.
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Finn, D.
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440

Finstein, M.S.
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Fischer, P.
Daily Mortality and Air Pollution in the Netherlands, 1380

Fisher, T.
Exposure of Chronic Obstructive Pulmonary Disease Patients to Particulate Matter: Relationships between Personal and Ambient Air Concentrations, 1081

Fitz, D.R.
Determination of PM_{10} Emission Rates from Street Sweepers, 181
Evaluation of Watering to Control Dust in High Winds, 570
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Flores, M.
A Preliminary Look at Source-Receptor Relationships in the Texas-Mexico Border Area, 858

Fox, A.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Franco, G.
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Fraser, M.E.
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111

Freeman, N.C.G.
Reduction in Residential Chromium Following Site Remediation, 948

Freijer, J.I.
Modeling Relationships between Indoor and Outdoor Air Quality, 292

French, M.
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Fu, L.
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Fu, S.-F
Use of Two Different Acidic Aerosols Samplers to Measure Acidic Aerosols in Hsinchu, Taiwan, 2126

Fuentes, M.
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367

Galbreath, K.C.
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Gamas, E.D.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188

Gamble, J.F.
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514

Gangloff, H.J.
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637

Gebhart, K.A.
A Preliminary Look at Source-Receptor Relationships in the Texas-Mexico Border Area, 858

Gertler, A.W.
Comparison and Evaluation of Chemically Speciated Mobile Source $PM_{2.5}$ Particulate Matter Profiles, 1459

Gillett, R.W.
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Gillies, J.A.
Comparison and Evaluation of Chemically Speciated Mobile Source $PM_{2.5}$ Particulate Matter Profiles, 1459

Glickert, R.W.
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Gorse, R.A., Jr
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278

Graboski, M.S.
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Grady, C.P.L., Jr.
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Grant, L.D.
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167

Gras, J.L.
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Graves, J.
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Green, M.C.
Use of Project MOHAVE Perfluorocarbon Tracer Data to Evaluate Source and Receptor Models, 717
Characterization of Regional Transport and Dispersion Using Project MOHAVE Tracer Data, 733
Evaluation of Wind Fields Used in Grand Canyon Visibility Transport Commission Analyses, 809

Guerrero, V.
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301

Guesgen, H.W.
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3

Gullu, G.
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881

Guo, H.
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Guy, C.
Measurement of Odor Intensity by an Electronic Nose, 1750

Hadjiiski, L.
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894

Hales, J.M.
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613

Hammervold, R.E.
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Hand, J.L.
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Estimates of Particle Hygroscopicity during the Southeastern Aerosol and Visibility Study, 677

Hannigan, M.P.
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Hao, J.
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Hardebeck, E.
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Harley, R.A.
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929

Harrington, W.
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509

Harris, D.B.
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Harrison, K.W.
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993

Hartsell, B.
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Hattis, D.
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Hayashi, T.
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Hazelwood, M.
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Hedrick, E.
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Heilig, C.M.
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215

Hering, S.
Analysis and Simulation of Wintertime Light Scattering by the Urban Aerosol in Dallas-Forth Worth, 849
Air Quality Measurements from the Fresno Supersite, 1321

Hermia, J.
Measurement of Odor Intensity by an Electronic Nose, 1750

Hertel, O.
Modeling Traffic-Related Air Pollution in Street Canyons of Beijing, 2060

Hidy, G.M.
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613

Highsmith, R.V.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Hildemann, L.M.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648

Hill, N.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Hinlein, E.S.
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Hoek, G.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133
Daily Mortality and Air Pollution in the Netherlands, 1380

Hogan, J.A.
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Hopke, P.
Application of Artificial Neural Networks to Modeling and Prediction of Ambient Ozone Concentrations, 894

Hopke, P.K.
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308

Houser, J.
Stabilization/Solidification of Salt from a Waste Incinerator, 453

Howard-Reed, C.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Hsu, L.-Y.
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Huang, S.-S.
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219

Hubbard, M.C.
A Comparison of Nonlinear Regression and Neural Network Models for Ground-Level Ozone Forecasting, 1999

Huber, A.H.
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980

Hudon, G.
Measurement of Odor Intensity by an Electronic Nose, 1750

Huffman, G.P.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Huggins, F.E.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Huggins, R.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Hung, W.T.
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543

Hunter, A.J.R.
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111

Hwang, H.-M.
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Imhoff, R.E.
The Evolution of Particles in the Plume from a Large Coal-Fired Boiler with Flue Gas Desulfurization, 1207

Incecik, S.
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75

Isakov, V.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Iyer, H.
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Sampling Duration Calculations, 888

Ja de Araujo Lobo, D.
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Janssen, N.A.H.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133

Jantunen, M.
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Jensen, T.E.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Johnston, T.
Climate Change and the Adaptability of Agriculture: A Review, 563

Joshi, J.A.
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Joshi, S.
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Ju, J.
A Model for Pulse Jet Fabric Filters, 600

Kaminski, M.D.
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680

Kao, J.-J.
Forecasts Using Neural Network versus Box-Jenkins Methodology for Ambient Air Quality Monitoring Data, 219

Karamchandani, P.
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Simulation of Stack Plume Opacity, 869

Karimi, H.A.
Improved Spatial Allocation Methodology for On-Road Mobile Emissions, 972

Kean, A.J.
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929

Kellner, T.A.
Speciated Hydrocarbon Emissions from Small Utility Engines, 522

Keywood, M.D.
Size Distribution and Sources of Aerosol in Launceston, Australia, during Winter 1997, 418

Khan, A.R.
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169

Kim, B.M.
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Kim, C.S.
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262

Kim, D.Y.
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340

Kim, J.W.
Development of a Speciated, Hourly, and Gridded Air Pollutants Emission Modeling System—A Case Study on the Precursors of Photochemical Smog in the Seoul Metropolitan Area, Korea, 340

Kim, J.-Y.
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Kim, Y.
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367

King, F.G., Jr.
Comparison of the Particle Size Distribution of Heavy-Duty Diesel Exhaust Using a Dilution Tailpipe Sampler and an In-Plume Sampler during On-Road Operation, 1407

Kioutsioukis, I.
Neural Network Model for Predicting Peak Photochemical Pollutant Levels, 495

Kirchgessner, D.A.
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Klemm, R.J.
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433

Klusman, R.W.
Seasonal Variability in CH_4 Emissions from a Landfill in a Cool, Semiarid Climate, 1632

Koenig, J.Q.
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440

Kopfer, K.
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287

Koracin, D.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Kousa, A.
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Koutrakis, P.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648
Method Comparisons for Particulate Nitrate, Elemental Carbon, and $PM_{2.5}$ Mass in Seven U.S. Cities, 1095
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Hourly Personal Exposures to Fine Particles and Gaseous Pollutants—Results from Baltimore, Maryland, 1223
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236

Krahmer, M.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Kravets, G.
Removal of Chromium from Abrasive Blast Media by Leaching and Electrochemical Precipitation, 536

Kreidenweis, S.M.
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Estimates of Particle Hygroscopicity during the Southeastern Aerosol and Visibility Study, 677
Light Scattering Characteristics of Aerosols as a Function of Relative Humidity: Part I—A Comparison of Measured Scattering and Aerosol Concentrations Using the Theoretical Models, 686
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701

Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710

Kreisberg, N.
Analysis and Simulation of Wintertime Light Scattering by the Urban Aerosol in Dallas-Forth Worth, 849

Kruger, B.
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Kuhns, H.
Characterization of Regional Transport and Dispersion Using Project MOHAVE Tracer Data, 733

Kunzli, N.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Kwok, R.
Use of a Continuous Nephelometer To Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Lai, A.C.K.
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688

Lai, C.-Y.
Performance Characteristics of PM_{10} Samplers Under Calm Air Conditions, 578

Landsberger, S.
Heavy Metals in Urban Soils of East St. Louis, IL, Part I: Total Concentration of Heavy Metals in Soils, 1667
Heavy Metals in Urban Soils of East St. Louis, IL, Part II: Leaching Characteristics and Modeling, 1680

Lankey, R.
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Lanki, T.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133

Larson, T.V.
Windblown Dust Contributes to High $PM_{2.5}$ Concentrations, 1440

Larsson, L.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Laudal, D.L.
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Laulainen, N.
Examining Impacts of Visibility and PM Strategies before Implementation, 875

Lave, L.B.
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Lawless, P.A.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Lawson, D.R.
Real-World Vehicle Emissions: A Summary of the Ninth Coordinating Research Council On-Road Vehicle Emissions Workshop, 278

Lee, C.W.
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Lee, K.
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739

Lee, T.G.
Characterization of Activated Carbon Fiber Filters for Pressure Drop, Submicrometer Particulate Collection, and Mercury Capture, 922

Lee, W.-S.
Performance Characteristics of a Regenerative Catalytic Oxidizer for Treating VOC-Contaminated Airstreams, 2112

Lei, Y.
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Lemasters, G.K.
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Lemieux, P.M.
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Levendis, Y.A.
Particulates Generated from Combustion of Polymers (Plastics), 94

Levin, L.
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428

Levin, L.S.
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Levine, C.
Interaction of Temperature, Humidity, Driver Preference, and Refrigerant Type on Air Conditioning Compressor Usage, 1759

Levine, S.P.
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Lewis, D.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Li, X.
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Li, Y.
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54

Lighty, J.S.
2000 Critical Review—Combustion Aerosols: Factors Governing Their Size and Composition and Implications to Human Health, 1565

Lillemoen, C.M.
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936

Lin, J.-H.
Biotrickling Filtration of Nitric Oxide, 502

Lin, M.-R.
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Lin, Y.-C.
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Linak, W.P.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532

Lindqvist, O.
Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663

Lioy, P.J.
Reduction in Residential Chromium Following Site Remediation, 948

Lipfert, F.W.
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501

Liu, L.-J.S.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Lo, J.-C.
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Lockey, J.E.
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Long, C.M.
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236

Long, R.Q.
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436

Lopez-Gastey, J.
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Lopez-Salinas, E.
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Lord, E.R.
Forecasting Summertime Surface-Level Ozone Concentrations in the Lower Fraser Valley of British Columbia: An Ensemble Neural Network Approach, 322

Loughlin, D.H.
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Louis, J.-F.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Lowenthal, D.H.
Air Quality Measurements from the Fresno Supersite, 1321

Lu, C.
Removal of BTEX Vapor from Waste Gases by a Trickle Bed Biofilter, 411

Lu, Y.
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Luria, M.
The Evolution of Particles in the Plume from a Large Coal-Fired Boiler with Flue Gas Desulfurization, 1207

MacLean, H.L.
A Life-Cycle Comparison of Alternative Automobile Fuels, 1769

Magdaleno, M.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Mage, D.
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390

Mage, D.T.
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167

Malm, W.C.
Optical Measurements of Aerosol Size Distributions in Great Smoky Mountains National Park: Dry Aerosol Characterization, 665
Estimates of Particle Hygroscopicity during the Southeastern Aerosol and Visibility Study, 677
Light Scattering Characteristics of Aerosols as a Function of Relative Humidity: Part I—A Comparison of Measured Scattering and Aerosol Concentrations Using the Theoretical Models, 686
Light Scattering Characteristics of Aerosols at Ambient and as a Function of Relative Humidity: Part II—A Comparison of Measured Scattering and Aerosol Concentrations Using Statistical Models, 701
Aerosol Light Scattering Measurements as a Function of Relative Humidity, 710
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
A Preliminary Look at Source-Receptor Relationships in the Texas-Mexico Border Area, 858
Sampling Duration Calculations, 888

Manivannan, A.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Manuszak, T.L.
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54

Martonen, T.B.
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426

Masemore, S.S.
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Mason, R.M., Jr.
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215
Aerosol Research and Inhalation Epidemiological Study (ARIES): Air Quality and Daily Mortality Statistical Modeling—Interim Results, 1433

Mathys, P.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

McConnell, V.
Costs, Emissions Reductions, and Vehicle Repair: Evidence from Arizona, 509

McCormick, R.L.
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

McDade, C.
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835
Analysis and Simulation of Wintertime Light Scattering by the Urban Aerosol in Dallas-Fort Worth, 849

McGown, M.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

McKendry, I.G.
PM_{10} Levels in the Lower Fraser Valley, British Columbia, Canada: An Overview of Spatiotemporal Variations and Meteorological Controls, 443

McMurry, P.H.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648

Medvedovic, M.
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Melas, D.
Neural Network Model for Predicting Peak Photochemical Pollutant Levels, 495

Melgarejo, L.A.
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Mendoza-Dominguez, A.
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Meng, R.Z.
Simulation of Stack Plume Opacity, 869

Meng, Y.
A New Screening Measure To Identify Potential Carbon Monoxide Hotspots, 252

Mentes, S.
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75

Meuzelaar, H.L.C.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Meyer, M.B.
Development of a Sample Equilibration System for the TEOM Continuous PM Monitor, 1345

Middleton, P.
Examining Impacts of Visibility and PM Strategies before Implementation, 875

Miller, A.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Miller, C.A.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532

Mirabella, V.
Relating Summer Ambient Particulate Sulfur, Sulfur Dioxide, and Light Scattering to Gaseous Tracer Emissions from the MOHAVE Power Project, 746

Moolgavkar, S.H.
Air Pollution and Hospital Admissions for Diseases of the Circulatory System in Three U.S. Metropolitan Areas, 1199

Moon, S.-H.
A Kinetic Study on Oxidation of Pentachlorophenol by Ozone, 555

Moran, W.A.
Exploring Spatial Patterns of Particulate Sulfur and OMH from the Project MOHAVE Summer Intensive Regional Network Using Analysis of Variance Techniques and Meteorological Parameters as Sort Determinants, 724

Moreira, A.
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Morency, J.R.
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111

Morris, R.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Morris, S.C.
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501

Motallebi, N.
A Fabric Denuder for Sampling Semi-Volatile Species, 981

Mueller, P.K.
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835

Mulawa, P.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Murphy, J.
Optimal Loading Rates and Economic Analyses for Anaerobic Digestion of Poultry Waste, 1037

Murray, F.
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Murray, G.C., Jr.
Climatology of Diurnal Trends and Vertical Distribution of Ozone in the Atmospheric Boundary Layer in Urban North Carolina, 54

Murray, L.C.
Exploring Spatial Patterns of Particulate Sulfur and OMH from the Project MOHAVE Summer Intensive Regional Network Using Analysis of Variance Techniques and Meteorological Parameters as Sort Determinants, 724

Murry, C.J.
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075

Musante, C.J.
Computer Simulations of Particle Deposition in the Developing Human Lung, 1426

Musarra, S.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648

Nanzetta, K.
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459

Nazaroff, W.W.
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688

Neas, L.M.
Is Daily Mortality Associated Specifically with Fine Particles? Data Reconstruction and Replication of Analyses, 1215

Nelson, C.R.
State-Space Modeling of the Relationship between Air Quality and Mortality, 1075

Neusen, K.F.
Speciated Hydrocarbon Emissions from Small Utility Engines, 522

Nicolich, M.J.
Comparison of Ambient PM Risk with Risks Estimated from PM Components of Smoking and Occupational Exposures, 1514

Niemeier, D.
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459

Niemeier, D.A.
A New Screening Measure to Identify Potential Carbon Monoxide Hotspots, 252

Nishtala, S.R.
A Life-Cycle Inventory Model of Municipal Solid Waste Combustion, 993

Oglesby, L.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Olmez, I.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648
Receptor Modeling for Elemental Source Contributions to Fine Aerosols in New York State, 881

Olson, B.A.
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484

Ono, D.M.
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Ontiveros, L.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188

Oslund, W.
Air Quality Measurements from the Fresno Supersite, 1321

Ostendorf, D.W.
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Ott, W.
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390

Ouchida, P.
Air Quality Measurements from the Fresno Supersite, 1321

Overcamp, T.J.
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Pagilla, K.R.
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623

Pai, P.
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Evaluation of Wind Fields Used in Grand Canyon Visibility Transport Commission Analyses, 809
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Park, D.Y.
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Parker, J.
Systematic Biases in Measured PM_{10} Values with U.S. Environmental Protection Agency-Approved Samplers at Owens Lake, California, 1144

Parkhurst, W.J.
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299

Parkin, R.T.
Can Varying Concepts of Susceptibility in Risk Assessment Affect Particulate Matter Standards?, 1417

Patashnick, H.
Development of a Sample Equilibration System for the TEOM Continuous PM Monitor, 1345

Patterson, E.
Indoor/Outdoor Relationships for Ambient $PM_{2.5}$ and Associated Pollutants: Epidemiological Implications in Lindon, Utah, 103

Patterson, P.
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980-1996, 790
Trends in the Extremes of Sulfur Concentration Distributions, 802
Sampling Duration Calculations, 888

Pavlish, J.H.
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Pearson, R.L.
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175

Pekkanen, J.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133

Perng, S.-B.
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Petkau, J.A.
Exposure of Chronic Obstructive Pulmonary Disease Patients to Particulate Matter: Relationships between Personal and Ambient Air Concentrations, 1081

Petrenko, H.
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Piccot, S.D.
An Improved Inventory of Methane Emissions from Coal Mining in the United States, 1904

Pietarinen, C.
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780

Pitchford, M.
Characterization of Regional Transport and Dispersion Using Project MOHAVE Tracer Data, 733

Pleijel, K.
An Alternative Approach to Photochemical Ozone Creation Potentials Applied under European Conditions, 1023

Podnar, D.
PM_{10} Dispersion Modeling for Treasure Valley, Idaho, 1335

Poore, M.W.
Oxalic Acid in $PM_{2.5}$ in California, 1874

Pope, A.C., III
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745

Pratt, G.C.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Pugmire, R.J.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Pun, B.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Pun, B.K.
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Qasim, M.
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Rajkumar, T.
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3

Ramachandran, G.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Ramadan, Z.
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308

Ranjithan, S.R.
Application of Genetic Algorithms for the Design of Ozone Control Strategies, 1050

Rao, A.J.
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623

Rea, A.W.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Reifman, J.
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Reisel, J.R.
Speciated Hydrocarbon Emissions from Small Utility Engines, 522

Reyes, P.O.
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Ribeiro Pontes, S.L.
Concentration of Atmospheric Pollutants in the Gaseous Emissions of Medical Waste Incinerators, 131

Rice, C.H.
What Is the Potential Measurement Error in Occupational Exposure Studies?, 941

Robidoux, P.Y.
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Robinson, S.
A New Dose Model for Assessment of Health Risk Due to Contaminants in Air, 3

Rochelle, G.T.
Preparation of Calcium Silicate Adsorbent from Iron Blast Furnace Slag, 1655

Rodes, C.E.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Rodrigues, G.S.
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Rodriguez, R.
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301

Roosli, M.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Roth, P.M.
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Rupprecht, E.
Development of a Sample Equilibration System for the TEOM Continuous PM Monitor, 1345

Russell, A.G.
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Ryan, J.V.
Prediction of Dioxin/Furan Incinerator Emissions Using Low-Molecular-Weight Volatile Products of Incomplete Combustion, 2129

Sakai, R.
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Saldiva, P.H.N.
Assessment of the Effects of Sugar Cane Plantation Burning on Daily Counts of Inhalation Therapy, 1745
In Situ Monitoring of the Mutagenic Effects of the Gaseous Emissions of a Solid Waste Incinerator in Metropolitan Sao Paulo, Brazil, Using the *Tradescantia* Stamen-Hair Assay, 1852

Salmon, L.G.
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Samsonek, J.
Stabilization/Solidification of Salt from a Waste Incinerator, 453

Sanchez, M.L.
Aerosols in a Mediterranean Forest: Sulfates, Particle Size Distribution, and Growth Rates, 85

Sanderson, E.G.
Use of Benzo[a]pyrene Relative Abundance Ratios to Assess Exposure to Polycyclic Aromatic Hydrocarbons in the Ambient Atmosphere in the Vicinity of a Soderberg Aluminum Smelter, 2085

Saraf, A.
Investigation of the Concentration of Bacteria and Their Cell Envelope Components in Indoor Air in Two Elementary Schools, 1957

Sarnat, J.A.
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184

Sarofim, A.F.
2000 Critical Review—Combustion Aerosols: Factors Governing Their Size and Composition and Implications to Human Health, 1565

Sato, H.
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Sawyer, R.F.
A Fuel-Based Assessment of Off-Road Diesel Engine Emissions, 1929

Saxena, P.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835

Scheffe, R.
Fine Particles and Oxidant Pollution: Developing an Agenda for Cooperative Research, 613

Schifter, I.
Contribution of Liquefied Petroleum Gas to Air Pollution in the Metropolitan Area of Mexico City, 188
An Evaluation of the LPG Vehicles Program in the Metropolitan Area of Mexico City, 301
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488
Contribution of LPG-Derived Emissions to Air Pollution in the Metropolitan Area of Guadalajara City, 1857

Schlaps, E.J.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Schulman, L.L.
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

Scire, J.S.
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

Scott, G.M.
Forecasting Air Pollution Potential: A Synoptic Climatological Approach, 1831

Seehra, M.S.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Segal, R.A.
Comparison of Computer Simulations of Total Lung Deposition to Human Subject Data in Healthy Test Subjects, 1262

Seigneur, C.
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835
Simulation of Stack Plume Opacity, 869
Ozone Formation in California's San Joaquin Valley: A Critical Assessment of Modeling and Data Needs, 961

Seinfeld, J.H.
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Seltzer, M.D.
Performance Testing of a Multimetals Continuous Emissions Monitor, 1010

Senior, C.L.
Continuous Emissions Monitoring Using Spark-Induced Breakdown Spectroscopy, 111

Sexton, K.
Comparison of Short-Term Variations (15-Minute Averages) in Outdoor and Indoor $PM_{2.5}$ Concentrations, 1157

Shah, N.
Characterization of Fine Particulate Matter Produced by Combustion of Residual Fuel Oil, 1106

Sheldon, L.S.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Shemwell, B.E.
Particulates Generated from Combustion of Polymers (Plastics), 94

Sherwell, J.
In-Stack Condensible Particulate Matter Measurements and Issues, 207

Sild, M.
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Singh, R.B.
Development and Preliminary Evaluation of a Particulate Matter Emission Factor Model for European Motor Vehicles, 1805
Development of a Microscale Emission Factor Model for CO for Predicting Real-Time Motor Vehicle Emissions, 1980

Sisler, J.F.
Interpretation of Trends of $PM_{2.5}$ and Reconstructed Visibility from the IMPROVE Network, 775
An Analysis of the Yearly Changes in Sulfur Concentrations at Various National Parks in the United States, 1980–1996, 790

Smets, B.F.
A Sorptive Slurry Bioscrubber for the Control of Acetone, 954

Smith, R.L.
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367

Solomon, P.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Solomon, P.A.
Trends in Fine Particle Concentration and Chemical Composition in Southern California, 43

Sommar, J.
Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663

Song, X.-H.
Identification of Sources of Phoenix Aerosol by Positive Matrix Factorization, 1308

Spicer, R.C.
A Probability Model for Evaluating Building Contamination from an Environmental Event, 1637

Spitzner, D.
Threshold Dependence of Mortality Effects for Fine and Coarse Particles in Phoenix, Arizona, 1367

Staehelin, J.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Stern, A.H.
Reduction in Residential Chromium Following Site Remediation, 948

Stern, W.
Validity of Ambient Levels of Fine Particles as Surrogate for Personal Exposure to Outdoor Air Pollution—Results of the European EXPOLIS-EAS Study (Swiss Center Basel), 1251

Stockdill, D.
Mercury Mass Balances: A Case Study of Two North Dakota Power Plants, 1798

Straccia, A.M.
The Formation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897

Strimaitis, S.G.
Development and Evaluation of the PRIME Plume Rise and Building Downwash Model, 378

Strom, P.F.
Biological Removal of Gaseous Ammonia in Biofilters: Space Travel and Earth-Based Applications, 1647

Stromberg, D.
Distribution Equilibrium of Mercury (II) Chloride between Water and Air Applied to Flue Gas Scrubbing, 1663

Strosher, M.T.
Characterization of Emissions from Diffusion Flare Systems, 1723

Suggs, J.C.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Suh, H.H.
Assessing the Relationship between Personal Particulate and Gaseous Exposures of Senior Citizens Living in Baltimore, Maryland, 1184
Hourly Personal Exposures to Fine Particles and Gaseous Pollutants—Results from Baltimore, Maryland, 1223
Characterization of Indoor Particle Sources Using Continuous Mass and Size Monitors, 1236

Sun, J.Q.
The Effect of Coal Combustion Flue Gas Components on Low-Level Chlorine Speciation Using EPA Method 26A, 936

Sunahara, G.I.
Assessment of the Application of an Ecotoxicological Procedure to Screen Illicit Toxic Discharges in Domestic Septic Tank Sludge, 1004

Tanenbaum, S.J.
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Tanneer, S.
An Alternative to Additional SO_3 Injection for Fly Ash Conditioning, 169

Tanner, R.L.
The Evolution of Particles in the Plume from a Large Coal-Fired Boiler with Flue Gas Desulfurization, 1207
Chemical Composition of Fine Particles in the Tennessee Valley Region, 1299

Teffera, S.
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Tehrany, J.P.
Near Surface Soil Vapor Clusters for Monitoring Emissions of Volatile Organic Compounds from Soils, 118

Teng, H.
Production of Activated Carbons from Pyrolysis of Waste Tires Impregnated with Potassium Hydroxide, 1940

Thatcher, T.L.
Inhalation Transfer Factors for Air Pollution Health Risk Assessment, 1688

Theis, G.
Spatial Variability of Different Fractions of Particulate Matter within an Urban Environment and between Urban and Rural Sites, 1115

Thompson, K.M.
Exposure Efficiency: Concept and Application to Perchloroethylene Exposure from Dry Cleaners, 1700

Tien, C.
A Model for Pulse Jet Fabric Filters, 600

Timonen, K.L.
Personal Exposure to Fine Particulate Matter in Elderly Subjects: Relation between Personal, Indoor, and Outdoor Concentrations, 1133

Toman, D.L.
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Tombach, I.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588
Use of Project MOHAVE Perfluorocarbon Tracer Data to Evaluate Source and Receptor Models, 717
Assessment of the Nested Grid Model Estimates for Driving Regional Visibility Models in the Southwestern United States, 818
Study of the Relationship of Distant SO_2 Emissions to Dallas-Fort Worth Winter Haze, 826
Modeling of Potential Power Plant Plume Impacts on Dallas-Fort Worth Visibility, 835
Analysis and Simulation of Wintertime Light Scattering by the Urban Aerosol in Dallas-Forth Worth, 849

Tong, H.Y.
On-Road Motor Vehicle Emissions and Fuel Consumption in Urban Driving Conditions, 543

Tonne, C.
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428

Triantafyllou, A.G.
Patterns and Concentrations of PM_{10} in a Mountainous Basin Region, 1017

Tsai, C.-J.
Use of Two Different Acidic Aerosol Samplers To Measure Acidic Aerosols in Hsinchu, Taiwan, 2120

Tsai, J.-H.
Pyrolysis Kinetics and Residue Characteristics of Petrochemical Industrial Sludge, 272

Tsai, P.-Y.
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371

Turco, R.P.
Tropospheric Sulfate Aerosol Formation Via Ion-Ion Recombination, 902

Turner, W.A.
Calibration of Sharp Cut Impactors for Indoor and Outdoor Particle Sampling, 484

Turpin, B.J.
Evaluation of Time-Resolved $PM_{2.5}$ Data in Urban/Suburban Areas of New Jersey, 1780

Unal, Y.S.
Factors Influencing the Variability of SO_2 Concentrations in Istanbul, 75

Urrutia, C.M.
Emission Factors for Gasoline Light-Duty Vehicles: Experimental Program in Santiago, Chile, 2102

Utts, J.M.
Changing Speed-VMT Distributions: The Effects on Emissions Inventories and Conformity, 459

Valente, R.J.
The Evolution of Particles in the Plume from a Large Coal-Fired Boiler with Flue Gas Desulfurization, 1207

Van Loy, M.
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

van Wijnen, J.
Daily Mortality and Air Pollution in the Netherlands, 1380

Vassiliou, P.
Sulfur Hexafluoride (SF6): Global Environmental Effects and Toxic Byproduct Formation, 137

Vedal, S.
Exposure of Chronic Obstructive Pulmonary Disease Patients to Particulate Matter: Relationships between Personal and Ambient Air Concentrations, 1081

Vega, J.
Effect of the Fine Fraction of Particulate Matter versus the Coarse Mass and Other Pollutants on Daily Mortality in Santiago, Chile, 1287

Vera, M.
Effect of Methyl Tertiary Butyl Ether Concentrations on Exhaust Emissions from Gasoline Used in the Metropolitan Area of Mexico City, 488

Veranth, J.M.
2000 Critical Review—Combustion Aerosols: Factors Governing Their Size and Composition and Implications to Human Health, 1565

Verhoeff, A.
Daily Mortality and Air Pollution in the Netherlands, 1380

Vijayaraghavan, K.
Particulate Matter Modeling in the Los Angeles Basin Using SAQM-AERO, 32
The Sensitivity of $PM_{2.5}$ Source-Receptor Relationships to Atmospheric Chemistry and Transport in a Three-Dimensional Air Quality Model, 428

Vondruska, M.
Stabilization/Solidification of Salt from a Waste Incinerator, 453
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Vondruskova, E.
Characterization of Products from Fluidized Bed Combustion of Coal, 1920

Voorhees, A.S.
An Ex Post Cost-Benefit Analysis of the Nitrogen Dioxide Air Pollution Control Program in Tokyo, 391

Vukovich, F.M.
Weekday/Weekend Differences in OH Reactivity with VOCs and CO in Baltimore, Maryland, 1843
The Spatial Variation of the Weekday/Weekend Differences in the Baltimore Area, 2067

Wachtel, H.
Distance-Weighted Traffic Density in Proximity to a Home Is a Risk Factor for Leukemia and Other Childhood Cancers, 175

Wagh, A.S.
Stabilization and Solidification of Metal-Laden Wastes by Compaction and Magnesium Phosphate-Based Binder, 1623

Wallace, L.
Predicting Particulate (PM_{10}) Personal Exposure Distributions Using a Random Component Superposition Statistical Model, 1390

Walsh, D.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Wang, J.
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Wang, J.B.
Kinetics of Catalytic Oxidation of Benzene, *n*-Hexane, and Emission Gas from a Refinery Oil/Water Separator over a Chromium Oxide Catalyst, 227

Watson, J.G.
Second-Generation Chemical Mass Balance Source Apportionment of Sulfur Oxides and Sulfate at the Grand Canyon during the Project MOHAVE Summer Intensive, 759
Air Quality Measurements from the Fresno Supersite, 1321

Webster, T.S.
Construction and Economics of a Pilot/Full-Scale Biological Trickling Filter Reactor for the Removal of VOCs from Polluted Air, 1947

Wei, T.Y.C.
An Intelligent Emissions Controller for Fuel Lean Gas Reburn in Coal-Fired Power Plants, 240

Weibel, A.T.
Particle Mass Emission Rates from Current-Technology, Light-Duty Gasoline Vehicles, 930

Weisel, C.P.
Penetration of Evaporative Emissions into a Home from an M85-Fueled Vehicle Parked in an Attached Garage, 371

Wen, H.-Y.
Performance of the Annular Denuder System with Different Arrangements for HNO_3 and HNO_2 Measurements in Taiwan, 125

Wendt, J.O.L.
Comparison of Particle Size Distributions and Elemental Partitioning from the Combustion of Pulverized Coal and Residual Fuel, 1532

White, K.
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

White, W.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

White, W.H.
Concentration and Composition of Atmospheric Aerosols from the 1995 SEAVS Experiment and a Review of the Closure between Chemical and Gravimetric Measurements, 648

Wilkinson, J.G.
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Wilkinson, S.
Evaluation of Total Volatile Organic Compound Emissions from Adhesives Based on Chamber Tests, 199

Williams, R.W.
Use of a Continuous Nephelometer to Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Wilson, W.E.
Estimating Separately Personal Exposure to Ambient and Nonambient Particulate Matter for Epidemiology and Risk Assessment: Why and How, 1167

Winebrake, J.J.
Comparing Lifetime Emissions of Natural Gas and Conventional Fuel Vehicles: An Application of the Generalized ANCOVA Model, 162

Winkler, S.L.
A Study of the Association between Daily Mortality and Ambient Air Pollution Concentrations in Pittsburgh, Pennsylvania, 1481

Wong, J.L.
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Worsnop, D.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Wyzga, R.
The Aerosol Research and Inhalation Epidemiology Study (ARIES): $PM_{2.5}$ Mass and Aerosol Component Concentrations and Sampler Intercomparisons, 1446

Wyzga, R.E.
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350
Daily Mortality in the Philadelphia Metropolitan Area and Size-Classified Particulate Matter, 1501

Yang, C.-L.
Removal of Chromium from Abrasive Blast Media by Leaching and Electrochemical Precipitation, 536

Yang, L.
A Method for Removal of CO from Exhaust Gas Using Pulsated Corona Discharge, 1734

Yang, R.T.
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436

Yang, W.
Impact of Microenvironmental Nitrogen Dioxide Concentrations on Personal Exposures in Australia, 1739

Yang, Y.-J.
Modeling and Direct Sensitivity Analysis of Biogenetic Emissions Impacts on Regional Ozone Formation in the Mexico-U.S. Border Area, 21

Yanowitz, J.
Idle Emissions from Heavy-Duty Diesel and Natural Gas Vehicles at High Altitude, 1992

Yost, M.G.
Tomographic Reconstruction of Tracer Gas Concentration Profiles in a Room with the Use of a Single OP-FTIR and Two Iterative Algorithms: ART and PWLS, 357

Young, W.C.
The Formation of Reactive Oxygen Species Catalyzed by Neutral, Aqueous Extracts of NIST Ambient Particulate Matter and Diesel Engine Particles, 1897

Younglove, T.
Interaction of Temperature, Humidity, Driver Preference, and Refrigerant Type on Air Conditioning Compressor Usage, 1759

Yu, F.
Tropospheric Sulfate Aerosol Formation Via Ion-Ion Recombination, 902

Zahniser, M.
Guidance for the Performance Evaluation of Three-Dimensional Air Quality Modeling Systems for Particulate Matter and Visibility, 588

Zammit, K.D.
Superior Pillared Clay Catalysts for Selective Catalytic Reduction of Nitrogen Oxides for Power Plant Emission Control, 436

Zappi, M.
The Fate of Hydrogen Peroxide as an Oxygen Source for Bioremediation Activities within Saturated Aquifer Systems, 1818

Zeldin, M.D.
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 1—Spatial Variations, 2034
Characterization of $PM_{2.5}$ and PM_{10} in the South Coast Air Basin of Southern California: Part 2—Temporal Variations, 2045

Zhang, J.
Infant Mortality and Air Pollution: A Comprehensive Analysis of U.S. Data for 1990, 1350

Zhao, J.-X.
Tropospheric Sulfate Aerosol Formation Via Ion-Ion Recombination, 902

Ziman, S.D.
The Use of Ambient Measurements To Identify which Precursor Species Limit Aerosol Nitrate Formation, 2073

Ziomas, I.C.
Neural Network Model for Predicting Peak Photochemical Pollutant Levels, 495

Zufall, M.J.
Use of a Continuous Nephelometer To Measure Personal Exposure to Particles during the U.S. Environmental Protection Agency Baltimore and Fresno Panel Studies, 1125

Zweidinger, R.B.
The 1999 Fresno Particulate Matter Exposure Studies: Comparison of Community, Outdoor, and Residential PM Mass Measurements, 1887

Zygarlicke, C.J.
Nickel Speciation of Residual Oil Fly Ash and Ambient Particulate Matter Using X-ray Absorption Spectroscopy, 1876

Each month more than 25,000 users log on to www.awma.org. That's 25,000 independent professional users, not page hits—we get more than 500,000 of those each month!

For the first time ever, A&WMA invites you to tap into this highly targeted audience.

Now you can reach thousands of the environmental industry's top decision-makers by placing a hyperlink on A&WMA's Web site. You'll be in direct contact with an audience that simply can't be found elsewhere! ***Get in touch! Get online!***

For information on this exciting opportunity, call today: 1-800-270-3444, ext. 3128 or +412-232-3444.

www.awma.org

Connecting the World's Leading Environmental Professionals